

# SKIN TIGHTENER ST2<sup>TM</sup>



#### **FUNCTION** Skin tightener.

**DEFINITION** Association of a vegetable protein hydrolysate with polymannuronate from Giant Kelp.

**PROPERTIES** Provides an immediate skin smoothing effect.

**CHARACTERISTICS** Polymannuronate is a highly hydrophilic and moisturising natural polysaccharide.

**POINTS OF INTEREST** Kelp is a giant laminar algae, sometimes referred to as the Sequoia of the sea.

**APPLICATIONS** Serums, ampoules for flash radiance, bases and make-up fixers.





sederma
Part of Croda International Pic

www.sederma.com sederma@sederma.fr Copyright© 2000-2019 **FORMULATION** Water soluble.

Add in the water phase between room temperature and 65°C.

**RECOMMENDED USE LEVEL** 10%

**INCI NAME** Water (Aqua) — Glycerin — Macrocystis Pyrifera (Kelp) Extract — PVP — Hydrolyzed Vegetable Protein




## in vivo

### COMPARISON OF THE TIGHTENING EFFECT BETWEEN SKIN TIGHTENER ST™ AND SKIN TIGHTENER ST2™



23 male and female trained sensory volunteers, mean age 38 years. Half-face application of a 10% solution of Skin Tightener ST™ or a 10% solution of Skin Tightener ST2™. Scoring between 0 and 5.




Skin Tightener ST2<sup>™</sup> and Skin Tightener ST<sup>™</sup> exert a similar efficacy. However the effect of Skin Tightener ST2™ is more perceivable after 10 minutes. A majority of volunteers perceived a medium to strong effect at each time.

#### SENSORY EVALUATION TEST PERFORMED WITH SKIN TIGHTENER ST™


33 trained sensory volunteers. Application on face and hand of a gel containing 10% Skin Tightener ST™.

SELF-EVALUATION OF THE TIGHTENING EFFECT



Skin Tightener ST™ exhibits a satisfactory tightening effect 5 minutes after its application.

#### SENSORIAL DESCRIPTORS AFTER APPLICATION



### Skin Tightener ST™

- brings a fresh sensation
- spreads easily
- significantly smoothes skin

#### FORMULATION Flash Radiance Fluid with Skin Tightener ST2™

Tested formula ref: SED1510217F

Part A Potassium sorbate Water deionised	% 0.10 qsp 100
Part B	% 5.00 qs 0.20

Part C	%
Tween 20 (Polysorbate 20, Croda)	1.00
Fragrance	0.10
Part D	%
Skin Tightener ST2™ (Sederma)	10.00

Protocol: Weigh Part A. Weigh Part B and mix. Add Part B to Part A with normal helix stirring. Weigh Part C and mix. Add Part C to Part A+B with normal stirring. Then add D to previous Part. Homogenise well.

er formulators adopting this approach should ensure to their own satisfaction long term stability and functionality. It is good practice to conduct safety tests on all final formulation

## sederma

29 rue du Chemin Vert 78612 Le Perray-en-Yvelines cedex France